

eONE-SIXTY SL 10K

SILK ANACONDA GREEN (BROWN DOTS)



FRAME	eONE-SIXTY SL CF4	CRANK	Sram XX Eagle E-MTB Crank
FRAME SIZE	XShort, Short, Mid, Long, XLong	FREEWHEEL	Sram XX Eagle Transmission
FORK	Fox 36 Float Factory	WHEELSET	FSA SC I30
SHOCK	Fox Float X Factory	AXLES	MERIDA EXPERT TR
BRAKES	Sram Maven Ultimate	TYRES	Maxxis Assegai / Maxxis Minion DHR II
ROTORS	Sram HS2	LIGHTS	CG-119PG-BLACK(1) / CG-404RG-BLK
HEADSET	Acros ICR MERIDA INTEGRATED neck w/ Blocklock	DRIVE UNIT	Bosch Performance Line SX
HANDLEBAR	Race Face Era	BATTERY	Bosch CompactTube 400 Wh
HANDLEBAR STEM	MERIDA EXPERT eTR II	DISPLAY	Bosch Purion 400
GRIP	MERIDA EXPERT EC	APPROX. WEIGHT	19.5 kg
DERAILLEUR (R)	Sram XX Eagle Transmission AXS		
SHIFTERS	Fox Transfer remote / Sram AXS Pod Ultimate Controller		
SEAT POST	Fox Transfer Factory		
SEAT CLAMP	MERIDA EXPERT		
SADDLE	Proxim Nembo Triox		
PEDAL	VP VP-532		
CHAIN	Sram XX Eagle Transmission		
CHAINWHEEL	Sram XX Eagle Transmission E-MTB for BOSCH		

eONE-SIXTY SL 10K

GUNMETAL GREY (BLACK DOTS)



FRAME	eONE-SIXTY SL CF4	CRANK	Sram XX Eagle E-MTB Crank
FRAME SIZE	XShort, Short, Mid, Long, XLong	FREEWHEEL	Sram XX Eagle Transmission
FORK	Fox 36 Float Factory	WHEELSET	FSA SC I30
SHOCK	Fox Float X Factory	AXLES	MERIDA EXPERT TR
BRAKES	Sram Maven Ultimate	TYRES	Maxxis Assegai / Maxxis Minion DHR II
ROTORS	Sram HS2	LIGHTS	CG-119PG-BLACK(1) / CG-404RG-BLK
HEADSET	Acros ICR MERIDA INTEGRATED neck w/ Blocklock	DRIVE UNIT	Bosch Performance Line SX
HANDLEBAR	Race Face Era	BATTERY	Bosch CompactTube 400 Wh
HANDLEBAR STEM	MERIDA EXPERT eTR II	DISPLAY	Bosch Purion 400
GRIP	MERIDA EXPERT EC	APPROX. WEIGHT	19.5 kg
DERAILLEUR (R)	Sram XX Eagle Transmission AXS		
SHIFTERS	Fox Transfer remote / Sram AXS Pod Ultimate Controller		
SEAT POST	Fox Transfer Factory		
SEAT CLAMP	MERIDA EXPERT		
SADDLE	Proxim Nembo Triox		
PEDAL	VP VP-532		
CHAIN	Sram XX Eagle Transmission		
CHAINWHEEL	Sram XX Eagle Transmission E-MTB for BOSCH		

eONE-SIXTY SL 8000

GUARDED GOLD (CREAM)



FRAME	eONE-SIXTY SL CF4, material: carbon, 160mm suspension travel, 29x2.4" max. wheelsize, 148x12mm axle standard, fixed battery
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Rock Shox Lyric Select+ eMTB, Air, 160mm suspension travel: Tapered, 44mm fork offset, 29x2.6" max wheelsize
SHOCK	Rock Shox Super Deluxe Select+
BRAKES	Sram DB8 Stealth, 4 piston
ROTORS	Sram HS2, 200mm
HEADSET	Acros ICR MERIDA INTEGRATED neck w/ Blocklock
HANDLEBAR	MERIDA EXPERT eTR, 780mm width, XS,S 20RHB, M,L,XL 30RHB
HANDLEBAR STEM	MERIDA EXPERT eTR II, material: aluminium, 35mm diameter, 0 stem angle, Supernova mount, 40 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram GX Eagle Transmission AXS
SHIFTERS	JD GLS Stealth MMX / Sram AXS Pod Controller
SEAT POST	MERIDA COMP TR III, 34.9mm diameter, 0mm setback, XSHORT: 150mm travel seatpost - SHORT/MID: 170mm travel seatpost - LONG/XLONG: 200mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	Proxim Nembo Steel, V-mount adapter, incl. MERIDA minitool
PEDAL	VP VP-532
CHAIN	Sram GX Eagle Transmission, Flattop
CHAINWHEEL	Sram XX Eagle Transmission E-MTB for BOSCH, 34 teeth

CRANK	Sram GX Eagle E-MTB Crank, 165 mm for all sizes
FREEWHEEL	Sram GX Eagle Transmission, 10-52, 12 speed
WHEELSET	DT Swiss HX 1700, 110x15mm width front hub, 148x12mm width rear hub, 30mm inner width, 6-Bolt, SRAM XD, material: aluminium, Tubeless ready (tubeless tape and valves included)
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4mm allen key
TYRES	Maxxis Assegai / Maxxis Minion DHR II, 29x2.5", fold, TR EXO+ 3C MaxxGrip, 29x2.4", fold, TR EXO+ 3C MaxxTerra
LIGHTS	CG-119PG-BLACK(1) / CG-404RG-BLK
DRIVE UNIT	Bosch Performance Line SX
BATTERY	Bosch CompactTube 400 Wh, integrated
DISPLAY	Bosch Purion 400
APPROX. WEIGHT	20.3 kg, weighed at frame size M, Weight may vary depending on bike size, finish or possible specification changes due to supply chain issues.

eONE-SIXTY SL 8000

GUNMETAL GREY (BLACK)



FRAME	eONE-SIXTY SL CF4, material: carbon, 160mm suspension travel, 29x2.4" max. wheelsize, 148x12mm axle standard, fixed battery
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Rock Shox Lyric Select+ eMTB, Air, 160mm suspension travel: Tapered, 44mm fork offset, 29x2.6" max wheelsize
SHOCK	Rock Shox Super Deluxe Select+
BRAKES	Sram DB8 Stealth, 4 piston
ROTORS	Sram HS2, 200mm
HEADSET	Acros ICR MERIDA INTEGRATED neck w/ Blocklock
HANDLEBAR	MERIDA EXPERT eTR, 780mm width, XS,S 20RHB, M,L,XL 30RHB
HANDLEBAR STEM	MERIDA EXPERT eTR II, material: aluminium, 35mm diameter, 0 stem angle, Supernova mount, 40 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Sram GX Eagle Transmission AXS
SHIFTERS	JD GLS Stealth MMX / Sram AXS Pod Controller
SEAT POST	MERIDA COMP TR III, 34.9mm diameter, 0mm setback, XSHORT: 150mm travel seatpost - SHORT/MID: 170mm travel seatpost - LONG/XLONG: 200mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	Proxim Nembo Steel, V-mount adapter, incl. MERIDA minitool
PEDAL	VP VP-532
CHAIN	Sram GX Eagle Transmission, Flattop
CHAINWHEEL	Sram XX Eagle Transmission E-MTB for BOSCH, 34 teeth

CRANK	Sram GX Eagle E-MTB Crank, 165 mm for all sizes
FREEWHEEL	Sram GX Eagle Transmission, 10-52, 12 speed
WHEELSET	DT Swiss HX 1700, 110x15mm width front hub, 148x12mm width rear hub, 30mm inner width, 6-Bolt, SRAM XD, material: aluminium, Tubeless ready (tubeless tape and valves included)
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4mm allen key
TYRES	Maxxis Assegai / Maxxis Minion DHR II, 29x2.5", fold, TR EXO+ 3C MaxxGrip, 29x2.4", fold, TR EXO+ 3C MaxxTerra
LIGHTS	CG-119PG-BLACK(1) / CG-404RG-BLK
DRIVE UNIT	Bosch Performance Line SX
BATTERY	Bosch CompactTube 400 Wh, integrated
DISPLAY	Bosch Purion 400
APPROX. WEIGHT	20.3 kg, weighed at frame size M, Weight may vary depending on bike size, finish or possible specification changes due to supply chain issues.

eONE-SIXTY SL 6000

SILK RIVER CLAY (GOLD)



FRAME	eONE-SIXTY SL CF4, material: carbon, 160mm suspension travel, 29x2,4" max. wheelsize, 148x12mm axle standard, fixed battery
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Marzocchi Z1 eMTB, Air, 160mm suspension travel, Tapered, 44mm fork offset, 29x2.6" max wheelsize
SHOCK	Marzocchi Bomber Air, Platform
BRAKES	Shimano Deore M6120, 4 piston
ROTORS	Shimano RT64, 220mm / Shimano RT64, 200mm
HEADSET	Acros ICR MERIDA INTEGRATED neck w/ Blocklock
HANDLEBAR	MERIDA EXPERT eTR, 780mm width, XS,S 20RHB, M,L,XL 30RHB
HANDLEBAR STEM	MERIDA EXPERT eTR II, material: aluminium, 35mm diameter, 0 stem angle, Supernova mount, 40 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano Deore
SHIFTERS	Shimano SL -MT500-IL / Shimano Deore
SEAT POST	MERIDA COMP TR III, 34.9mm diameter, 0mm setback, XSHORT: 150mm travel seatpost - SHORT/MID: 170mm travel seatpost - LONG/XLONG: 200mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, 28% recycled material, V-mount, incl. MERIDA minitool
PEDAL	VP VP-532
CHAIN	Shimano Deore M6100
CHAINWHEEL	FSA 1x Alloy Spider + Mega Tooth steel chain ring, 34 teeth

CRANK	FSA CK-220 wide E-Bike Forged Crankset, 165mm for all sizes
FREEWHEEL	Shimano Deore, 10-51 teeth, 12 speed
RIM	MERIDA EXPERT TR II, 110x15mm width front hub, 148x12mm width rear hub, 28mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), front 29", rear 29"
HUBS	Shimano TC500, 15x100mm width front hub, 32 spoke holes, Centerlock, 12x148mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4mm allen key
TYRES	Maxxis Assegai / Maxxis Minion DHR II, 29x2.5", fold, TR EXO+ 3C MaxxGrip, 29x2.4", fold, TR EXO+ 3C MaxxTerra
LIGHTS	CG-119PG-BLACK(1) / CG-404RG-BLK
DRIVE UNIT	Bosch Performance Line SX
BATTERY	Bosch CompactTube 400 Wh, integrated
DISPLAY	Bosch Purion 400
APPROX. WEIGHT	20.8 kg, weighed at frame size M, Weight may vary depending on bike size, finish or possible specification changes due to supply chain issues.

eONE-SIXTY SL 6000

HERITAGE RED (BLACK)



GUNMETAL GREY (BLACK)



FRAME	eONE-SIXTY SL CF4, material: carbon, 160mm suspension travel, 29x2,4" max. wheelsize, 148x12mm axle standard, fixed battery
FRAME SIZE	XShort, Short, Mid, Long, XLong
FORK	Marzocchi Z1 eMTB, Air, 160mm suspension travel, Tapered, 44mm fork offset, 29x2.6" max wheelsize
SHOCK	Marzocchi Bomber Air, Platform
BRAKES	Shimano Deore M6120, 4 piston
ROTORS	Shimano RT64, 220mm / Shimano RT64, 200mm
HEADSET	Acros ICR MERIDA INTEGRATED neck w/ Blocklock
HANDLEBAR	MERIDA EXPERT eTR, 780mm width, XS,S 20RHB, M,L,XL 30RHB
HANDLEBAR STEM	MERIDA EXPERT eTR II, material: aluminium, 35mm diameter, 0 stem angle, Supernova mount, 40 mm all sizes
GRIP	MERIDA EXPERT EC
DERAILLEUR (R)	Shimano Deore
SHIFTERS	Shimano SL -MT500-IL / Shimano Deore
SEAT POST	MERIDA COMP TR III, 34.9mm diameter, 0mm setback, XSHORT: 150mm travel seatpost - SHORT/MID: 170mm travel seatpost - LONG/XLONG: 200mm travel seatpost
SEAT CLAMP	MERIDA EXPERT
SADDLE	MERIDA COMP SL, 28% recycled material, V-mount, incl. MERIDA minitool
PEDAL	VP VP-532
CHAIN	Shimano Deore M6100
CHAINWHEEL	FSA 1x Alloy Spider + Mega Tooth steel chain ring, 34 teeth

CRANK	FSA CK-220 wide E-Bike Forged Crankset, 165mm for all sizes
FREEWHEEL	Shimano Deore, 10-51 teeth, 12 speed
RIM	MERIDA EXPERT TR II, 110x15mm width front hub, 148x12mm width rear hub, 28mm inner width, material: aluminium, Tubeless ready (tubeless tape and valves not included), front 29", rear 29"
HUBS	Shimano TC500, 15x100mm width front hub, 32 spoke holes, Centerlock, 12x148mm width rear hub, 32 spoke holes, Centerlock
AXLES	MERIDA EXPERT TR, including removeable lever, 6/4mm allen key
TYRES	Maxxis Assegai / Maxxis Minion DHR II, 29x2.5", fold, TR EXO+ 3C MaxxGrip, 29x2.4", fold, TR EXO+ 3C MaxxTerra
LIGHTS	CG-119PG-BLACK(1) / CG-404RG-BLK
DRIVE UNIT	Bosch Performance Line SX
BATTERY	Bosch CompactTube 400 Wh, integrated
DISPLAY	Bosch Purion 400
APPROX. WEIGHT	20.8 kg, weighed at frame size M, Weight may vary depending on bike size, finish or possible specification changes due to supply chain issues.